

List of Refereed Publications
Wind Spacecraft: 1999

References

- [1] Aellig, M. R., S. Hefti, H. Grünwaldt, P. Bochsler, P. Wurz, F. M. Ipavich, and D. Hovestadt (1999), The Fe/O elemental abundance ratio in the solar wind as observed with SOHO CELIAS CTOF, *J. Geophys. Res.*, **1042**, 24,769–24,780, [10.1029/1999JA900309](https://doi.org/10.1029/1999JA900309).
- [2] Angelopoulos, V., T. Mukai, and S. Kokubun (1999), Evidence for intermittency in Earth's plasma sheet and implications for self-organized criticality, *Phys. Plasmas*, **6**, 4161–4168, [10.1063/1.873681](https://doi.org/10.1063/1.873681).
- [3] Anttila, A. (1999), Anisotropy Observations by ERNE/LED, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 204–+.
- [4] Arge, C. N., and V. J. Pizzo (1999), Historical verification of the Wang-Sheeley model: Further improvements in basic technique, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 569–572, [10.1063/1.58696](https://doi.org/10.1063/1.58696).
- [5] Baker, D. (1999), The Inter-Agency Consultative Group scientific campaigns, *Phys. Chem. Earth C*, **24**, 29–36, [10.1016/S1464-1917\(98\)00004-X](https://doi.org/10.1016/S1464-1917(98)00004-X).
- [6] Baker, D. N., S. G. Kanekal, T. I. Pulkkinen, and J. B. Blake (1999), Equinoctial and solstitial averages of magnetospheric relativistic electrons: A strong semiannual modulation, *Geophys. Res. Lett.*, **26**, 3193–3196, [10.1029/1999GL003638](https://doi.org/10.1029/1999GL003638).
- [7] Baker, D. N., S. G. Kanekal, A. J. Klimas, D. Vassiliadis, and T. I. Pulkkinen (1999), Collective phenomena in the inner magnetosphere, *Phys. Plasmas*, **6**, 4195–4199, [10.1063/1.873685](https://doi.org/10.1063/1.873685).
- [8] Bale, S. D. (1999), Observation of topside ionospheric MF/HF radio emission from space, *Geophys. Res. Lett.*, **26**, 667–670, [10.1029/1999GL900048](https://doi.org/10.1029/1999GL900048).
- [9] Bale, S. D., M. J. Reiner, J.-L. Bougeret, M. L. Kaiser, S. Krucker, D. E. Larson, and R. P. Lin (1999), The source region of an interplanetary type II radio burst, *Geophys. Res. Lett.*, **26**, 1573–1576, [10.1029/1999GL900293](https://doi.org/10.1029/1999GL900293).
- [10] Ballatore, P., J. P. Villain, M. Pick, and N. Vilmer (1999), Some Effects of Interplanetary CMEs on the Rate of Scattering Occurrence for the SuperDARN Radar Array, in *Magnetic Fields and Solar Processes, ESA Special Publication*, vol. 448, edited by A. Wilson & et al., pp. 965–+.
- [11] Berdichevsky, D., G. Thejappa, R. J. Fitzenreiter, R. L. Lepping, T. Yamamoto, S. Kokubun, R. W. McEntire, D. J. Williams, and R. P. Lin (1999), Widely spaced wave-particle observations during GEOTAIL and wind magnetic conjunctions in the Earth's ion foreshock with near-radial interplanetary magnetic field, *J. Geophys. Res.*, **104**(1), 463–482, [10.1029/1998JA900018](https://doi.org/10.1029/1998JA900018).
- [12] Blanc, M., J. L. Horwitz, J. B. Blake, I. Daglis, J. F. Lemaire, M. B. Moldwin, S. Orsini, R. M. Thorne, and R. A. Wolfe (1999), Chapter 4-Source and Loss Processes in the Inner Magnetosphere, *Space Sci. Rev.*, **88**, 137–206, [10.1023/A:1005203817354](https://doi.org/10.1023/A:1005203817354).

List of Refereed Publications
Wind Spacecraft: 1999

- [13] Blanco, J. J. (1999), A tentative method for current sheet crossings detection, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 508–+.
- [14] Bleybel, A., T. Amari, L. van Driel-Gesztelyi, and K. D. Leka (1999), Non Linear Force-Free Reconstruction of a Flaring Active Region, in *Magnetic Fields and Solar Processes, ESA Special Publication*, vol. 448, edited by A. Wilson & et al., pp. 709–+.
- [15] Briggs, M. S. (1999), Gamma-Ray Burst Lines, in *Gamma-Ray Bursts: The First Three Minutes, Astronomical Society of the Pacific Conference Series*, vol. 190, edited by J. Poutanen & R. Svensson, pp. 133–+.
- [16] Buonsanto, M. J., S. A. González, G. Lu, B. W. Reinisch, and J. P. Thayer (1999), Coordinated incoherent scatter radar study of the January 1997 storm, *J. Geophys. Res.*, **1042**, 24,625–24,638, [10.1029/1999JA900358](https://doi.org/10.1029/1999JA900358).
- [17] Burlaga, L. F., and A. Szabo (1999), Fast and Slow Flows in the Solar Wind Near the Ecliptic at 1 AU?, *Space Sci. Rev.*, **87**, 137–140, [10.1023/A:1005186720589](https://doi.org/10.1023/A:1005186720589).
- [18] Chernov, G., M. Poquerusse, J. Bougeret, and P. Zlobec (1999), Long Lasting Fine Structure in Type IV Radio Bursts and Coronal Effects: Spectrographic, Polarimetric and Heliographic Observations, in *High Resolution Solar Physics: Theory, Observations, and Techniques, Astronomical Society of the Pacific Conference Series*, vol. 183, edited by T. R. Rimmele, K. S. Balasubramaniam, & R. R. Radick, pp. 434–+.
- [19] Chernov, G. P., M. Poquerusse, J.-L. Bougeret, and P. Zlobec (1999), Coronal Magnetic Structure during Long Lasting and Impulsive Type IV Radio Bursts With Fine Structures, in *Magnetic Fields and Solar Processes, ESA Special Publication*, vol. 448, edited by A. Wilson & et al., pp. 765–+.
- [20] Cline, T. L., S. Barthelmy, P. Butterworth, F. Marshall, T. McClanahan, D. Palmer, J. Trombka, K. Hurley, R. Gold, R. Aptekar, D. Frederiks, S. Golenetskii, V. Il'Inskii, E. Mazets, G. Fishman, C. Kouveliotou, and C. Meegan (1999), Precise GRB source locations from the renewed interplanetary network, *Astron. & Astrophys. Suppl. Ser.*, **138**, 557–558, [10.1051/aas:1999350](https://doi.org/10.1051/aas:1999350).
- [21] Cline, T. L., S. Barthelmy, P. Butterworth, F. Marshall, D. Palmer, J. Trombka, K. Hurley, R. Gold, E. Mazets, R. Aptekar, D. Frederiks, S. Golenetskii, V. Il'Inskii, M. Terekhov, C. Kouveliotou, G. Fishman, and C. Meegan (1999), Precise Gamma-Ray Burst (grb) Sources with Rapid Alerts, *Astrophys. Lett. Comm.*, **39**, 245.
- [22] Cliver, E. W. (1999), Comment on “Origin of coronal and interplanetary shocks: A new look with Wind spacecraft data” by N. Gopalswamy et al., *J. Geophys. Res.*, **104**, 4743–4748, [10.1029/98JA02828](https://doi.org/10.1029/98JA02828).
- [23] Cliver, E. W., D. F. Webb, and R. A. Howard (1999), On the origin of solar metric type II bursts, *Solar Phys.*, **187**, 89–114.

List of Refereed Publications
Wind Spacecraft: 1999

- [24] Collier, M. R. (1999), Evolution of kappa distributions under velocity space diffusion: A model for the observed relationship between their spectral parameters, *J. Geophys. Res.*, **1042**, 28,559–28,564, [10.1029/1999JA900355](https://doi.org/10.1029/1999JA900355).
- [25] Cummings, A. C. (1999), Composition of Anomalous Cosmic Rays and Other Ions from Voyager Observations, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 7, pp. 531–+.
- [26] Curtis, S., J. Raeder, J. Berchem, C. Goodrich, M. Wiltberge, R. Greenwald, K. Baker, and R. Roble (1999), A global view of the role of acceleration processes in solar-terrestrial coupling as provided by the ISTP theory and ground-based experiments, *Phys. Chem. Earth C*, **24**, 239–246, [10.1016/S1464-1917\(98\)00035-X](https://doi.org/10.1016/S1464-1917(98)00035-X).
- [27] Dermendjiev, V. N., A. Z. Bochev, K. Z. Koleva, and J. St. Kokotanevkova (1999), The White-Light Flare and CME on 6 on November 6, 1997 and the Earth Magnetosphere Response, in *Magnetic Fields and Solar Processes, ESA Special Publication*, vol. 448, edited by A. Wilson & et al., pp. 971–+.
- [28] Desai, M. I., R. G. Marsden, T. R. Sanderson, D. Lario, E. C. Roelof, G. M. Simnett, J. T. Gosling, A. Balogh, and R. J. Forsyth (1999), Energy spectra of 50-keV to 20-MeV protons accelerated at corotating interaction regions at Ulysses, *J. Geophys. Res.*, **104**, 6705–6720, [10.1029/1998JA900176](https://doi.org/10.1029/1998JA900176).
- [29] Dulk, G. A., Y. Leblanc, and J.-L. Bougeret (1999), Type II shock and CME from the corona to 1 AU, *Geophys. Res. Lett.*, **26**, 2331–2334, [10.1029/1999GL900454](https://doi.org/10.1029/1999GL900454).
- [30] Dunlop, M. W., A. Balogh, W. Baumjohann, G. Haerendel, K.-H. Fornacon, and E. Georgescu (1999), Dawnside magnetopause observed by the Equator-S Magnetic Field Experiment: Identification and survey of crossings, *J. Geophys. Res.*, **1041**, 17,491–17,498, [10.1029/1999JA900214](https://doi.org/10.1029/1999JA900214).
- [31] Dunlop, M. W., A. Balogh, W. Baumjohann, G. Haerendel, K.-H. Fornacon, E. Georgescu, R. Nakamura, and S. Kokubin (1999), Dynamics and local boundary properties of the dawn-side magnetopause under conditions observed by Equator-S, *Ann. Geophys.*, **17**, 1535–1559, [10.1007/s00585-999-1535-x](https://doi.org/10.1007/s00585-999-1535-x).
- [32] Farrugia, C. J., L. A. Janoo, R. B. Torbert, J. M. Quinn, K. W. Ogilvie, R. P. Lepping, R. J. Fitzenreiter, J. T. Steinberg, A. J. Lazarus, R. P. Lin, D. Larson, S. Dasso, F. T. Gratton, Y. Lin, and D. Berdichevsky (1999), A uniform-twist magnetic flux rope in the solar wind, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 745–748, [10.1063/1.58724](https://doi.org/10.1063/1.58724).
- [33] Fennell, J., J. Roeder, R. Friedel, M. Grande, and H. Spence (1999), Dayside open field line region boundary at high altitudes, *Phys. Chem. Earth C*, **24**, 129–133, [10.1016/S1464-1917\(98\)00019-1](https://doi.org/10.1016/S1464-1917(98)00019-1).

List of Refereed Publications
Wind Spacecraft: 1999

- [34] Feroci, M. (1999), Observation of gamma-ray bursts by BeppoSAX., *Mem. Soc. Astron. Ital.*, **70**, 905–931.
- [35] Feroci, M., F. Frontera, E. Costa, L. Amati, M. Tavani, M. Rapisarda, and M. Orlandini (1999), A Giant Outburst from SGR 1900+14 Observed with the BeppoSAX Gamma-Ray Burst Monitor, *Astrophys. J.*, **515**, L9–L12, [10.1086/311964](https://doi.org/10.1086/311964).
- [36] Freeman, M. P., and C. J. Farrugia (1999), Solar wind input between substorm onsets during and after the October 18-20, 1995, magnetic cloud, *J. Geophys. Res.*, **1042**, 22,729–22,744, [10.1029/1999JA900204](https://doi.org/10.1029/1999JA900204).
- [37] Frey, H. U., S. B. Mende, H. B. Vo, M. Brittnacher, and G. K. Parks (1999), Conjugate observation of optical aurora with polar satellite and ground-based cameras, *Adv. Space Res.*, **23**, 1647–1652, [10.1016/S0273-1177\(99\)00379-8](https://doi.org/10.1016/S0273-1177(99)00379-8).
- [38] Fritz, T., J. Chen, R. Sheldon, H. Spence, J. Fennell, S. Livi, C. Russell, and J. Pickett (1999), Cusp energetic particle events measured by POLAR spacecraft, *Phys. Chem. Earth C*, **24**, 135–140, [10.1016/S1464-1917\(98\)00020-8](https://doi.org/10.1016/S1464-1917(98)00020-8).
- [39] Fuchs, Y., F. Mirabel, S. Chaty, A. Claret, C. J. Cesarsky, and D. A. Cesarsky (1999), ISO observations of the environment of the soft gamma-ray repeater SGR 1806-20, *Astron. & Astrophys.*, **350**, 891–899.
- [40] Geranios, A., S. Fischer, M. Vandas, and G. Zastenker (1999), The magnetic cloud of January 10, 1997, *Phys. Chem. Earth C*, **24**, 73–77, [10.1016/S1464-1917\(98\)00010-5](https://doi.org/10.1016/S1464-1917(98)00010-5).
- [41] Gomez-Herrero, R. (1999), Comparison among solar energetic particle events detected by COSTEP/SOHO experiment, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 191–+.
- [42] Guang-Li, H., F. Qi-Jun, and Q. Zhi-Hai (1999), A Group of Solar Microwave Type iii Bursts with Reversed Drift Rates on nov. 4, 1997, *Astrophys. Space Sci.*, **266**, 389–398, [10.1023/A:1002024110669](https://doi.org/10.1023/A:1002024110669).
- [43] Håland, S., N. Østgaard, J. Bjordal, J. Stadsnes, S. Ullaland, B. Wilken, T. Yamamoto, T. Doke, D. L. Chenette, G. K. Parks, M. J. Brittnacher, and G. D. Reeves (1999), Magnetospheric and ionospheric response to a substorm: Geotail HEP-LD and Polar PIXIE observations, *J. Geophys. Res.*, **1042**, 28,459–28,474, [10.1029/1999JA900216](https://doi.org/10.1029/1999JA900216).
- [44] Haggerty, D. K., M. I. Desai, G. M. Mason, J. R. Dwyer, R. E. Gold, S. M. Krimigis, J. E. Mazur, and T. T. von Roseninge (1999), Simultaneous observations of energetic (~150 keV) protons upstream of the Earth’s bow shock at ACE and WIND, *Geophys. Res. Lett.*, **26**, 169–172, [10.1029/1998GL900288](https://doi.org/10.1029/1998GL900288).
- [45] Hairston, M. R., D. R. Weimer, R. A. Heelis, and F. Rich (1999), Analysis of the ionospheric cross polar cap potential drop and electrostatic potential distribution patterns during the January 1997 cme event using DMSP data, *J. Atmos. Solar-Terr. Phys.*, **61**, 195–206, [10.1016/S1364-6826\(98\)00128-X](https://doi.org/10.1016/S1364-6826(98)00128-X).

List of Refereed Publications
Wind Spacecraft: 1999

- [46] Harris, M. J., J. E. Naya, B. J. Teegarden, T. L. Cline, N. Gehrels, D. M. Palmer, R. Ramaty, and H. Seifert (1999), Transient Gamma Ray Spectrometer Observations of Gamma-Ray Lines from Novae. I. Limits on the Positron Annihilation Line in Five Individual Novae, *Astrophys. J.*, **522**, 424–432, [10.1086/307625](https://doi.org/10.1086/307625).
- [47] Hefti, S., T. H. Zurbuchen, L. A. Fisk, G. Gloeckler, D. Larson, and R. P. Lin (1999), The transition from slow to fast solar wind: Charge state composition and electron observations, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 495–497, [10.1063/1.58682](https://doi.org/10.1063/1.58682).
- [48] Hernanz, M., J. José, A. Coc, J. Gómez-Gomar, and J. Isern (1999), Gamma-Ray Emission from Novae Related to Positron Annihilation: Constraints on its Observability Posed by New Experimental Nuclear Data, *Astrophys. J.*, **526**, L97–L100, [10.1086/312372](https://doi.org/10.1086/312372).
- [49] Huang, C.-S., G. J. Sofko, D. Murr, W. J. Hughes, and T. Moretto (1999), High-latitude ionospheric convection during strong interplanetary magnetic field B_y , *Geophys. Res. Lett.*, **26**, 405–408, [10.1029/1998GL900301](https://doi.org/10.1029/1998GL900301).
- [50] Hurley, K., C. Kouveliotou, P. Woods, E. Mazets, S. Golenetskii, D. D. Frederiks, T. Cline, and J. van Paradijs (1999), Precise Interplanetary Network Localization of a New Soft Gamma Repeater, SGR 1627-41, *Astrophys. J.*, **519**, L143–L145, [10.1086/312115](https://doi.org/10.1086/312115).
- [51] Hurley, K., C. Kouveliotou, P. Woods, T. Cline, P. Butterworth, E. Mazets, S. Golenetskii, and D. Frederiks (1999), Reactivation and Precise Interplanetary Network Localization of the Soft Gamma Repeater SGR 1900+14, *Astrophys. J.*, **510**, L107–L109, [10.1086/311821](https://doi.org/10.1086/311821).
- [52] Hurley, K., T. Cline, E. Mazets, S. Barthelmy, P. Butterworth, F. Marshall, D. Palmer, R. Aptekar, S. Golenetskii, V. Il’Inskii, D. Frederiks, J. McTiernan, R. Gold, and J. Trombka (1999), A giant periodic flare from the soft γ -ray repeater SGR1900+14, *Nature*, **397**, 41–43, [10.1038/16199](https://doi.org/10.1038/16199).
- [53] Hurley, K., C. Kouveliotou, T. Cline, E. Mazets, S. Golenetskii, D. D. Frederiks, and J. van Paradijs (1999), Where is SGR 1806-20?, *Astrophys. J. Lett.*, **523**, L37–L40, [10.1086/312256](https://doi.org/10.1086/312256).
- [54] Jayachandran, P. T., and J. W. MacDougall (1999), Seasonal and IMF B_y effect on the polar cap convection orientation, *Geophys. Res. Lett.*, **26**, 975–978, [10.1029/1999GL900114](https://doi.org/10.1029/1999GL900114).
- [55] Jordanova, V. K., C. J. Farrugia, J. M. Quinn, R. B. Torbert, J. E. Borovsky, R. B. Sheldon, and W. K. Peterson (1999), Simulation of off-equatorial ring current ion spectra measured by Polar for a moderate storm at solar minimum, *J. Geophys. Res.*, **104**, 429–436, [10.1029/98JA02658](https://doi.org/10.1029/98JA02658).
- [56] Kanekal, S. G., D. N. Baker, J. B. Blake, B. Klecker, R. A. Mewaldt, and G. M. Mason (1999), Magnetospheric response to magnetic cloud (coronal mass ejection) events: Relativistic electron observations from SAMPEX and Polar, *J. Geophys. Res.*, **1042**, 24,885–24,894, [10.1029/1999JA900239](https://doi.org/10.1029/1999JA900239).

List of Refereed Publications
Wind Spacecraft: 1999

- [57] Kecskemety, K. (1999), Energy spectra of protons, deuterium, and helium nuclei during quiet solar activity periods in 1996-97, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 167–+.
- [58] Kellogg, P. J., K. Goetz, S. J. Monson, and S. D. Bale (1999), A search for Langmuir solitons in the Earth’s foreshock, *J. Geophys. Res.*, **104**, 6751–6758, [10.1029/1999JA900021](https://doi.org/10.1029/1999JA900021).
- [59] Kellogg, P. J., K. Goetz, S. J. Monson, and J. R. Wygant (1999), A density and current plasma wave antenna, *J. Geophys. Res.*, **1041**, 12,627–12,636, [10.1029/1999JA900095](https://doi.org/10.1029/1999JA900095).
- [60] Kellogg, P. J., K. Goetz, S. J. Monson, and S. D. Bale (1999), Langmuir waves in a fluctuating solar wind, *J. Geophys. Res.*, **1041**, 17,069–17,078, [10.1029/1999JA900163](https://doi.org/10.1029/1999JA900163).
- [61] Kirsch, E. (1999), Detection of Pickup- and Sputter Ions by Experiment SMS on the WIND-S/C After a Mercury Conjunction, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 212–+.
- [62] Kistler, L. M., B. Klecker, V. K. Jordanova, E. Möbius, M. A. Popecki, D. Patel, J. A. Sauvaud, H. Rème, A. M. di Lellis, A. Korth, M. McCarthy, R. Cerulli, M. B. Bavassano Cattaneo, L. Eliasson, C. W. Carlson, G. K. Parks, G. Paschmann, W. Baumjohann, and G. Haerendel (1999), Testing electric field models using ring current ion energy spectra from the Equator-S ion composition (ESIC) instrument, *Ann. Geophys.*, **17**, 1611–1621, [10.1007/s00585-999-1611-2](https://doi.org/10.1007/s00585-999-1611-2).
- [63] Klecker, B. (1999), Anomalous cosmic rays: our present understanding and open questions, *Adv. Space Res.*, **23**, 521–530, [10.1016/S0273-1177\(99\)80006-4](https://doi.org/10.1016/S0273-1177(99)80006-4).
- [64] Kocharov, L., J. Torsti, T. Laitinen, and M. Teittinen (1999), Post-Impulsive-Phase Acceleration in a Wide Range of Solar Longitudes, *Solar Phys.*, **190**, 295–307, [10.1023/A:1005218919815](https://doi.org/10.1023/A:1005218919815).
- [65] Kouveliotou, C., T. Strohmayer, K. Hurley, J. van Paradijs, M. H. Finger, S. Dieters, P. Woods, C. Thompson, and R. C. Duncan (1999), Discovery of a Magnetar Associated with the Soft Gamma Repeater SGR 1900+14, *Astrophys. J.*, **510**, L115–L118, [10.1086/311813](https://doi.org/10.1086/311813).
- [66] Krucker, S., D. E. Larson, R. P. Lin, and B. J. Thompson (1999), On the Origin of Impulsive Electron Events Observed at 1 AU, *Astrophys. J.*, **519**, 864–875, [10.1086/307415](https://doi.org/10.1086/307415).
- [67] Kurczynski, P., R. H. Pehl, E. L. Hull, D. Palmer, M. J. Harris, H. Seifert, B. J. Teegarden, N. Gehrels, T. L. Cline, R. Ramaty, D. Sheppard, N. W. Madden, P. N. Luke, C. P. Cork, D. A. Landis, D. F. Malone, and K. Hurley (1999), Long-term radiation damage to a spaceborne germanium spectrometer, *Nucl. Inst. & Meth. in Phys. Res. A*, **431**, 141–147, [10.1016/S0168-9002\(99\)00283-1](https://doi.org/10.1016/S0168-9002(99)00283-1).
- [68] Kurfess, J. D. (1999), Galactic Positron Annihilation Observations with OSSE, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 4, pp. 64–+.

List of Refereed Publications
Wind Spacecraft: 1999

- [69] Lario, D. (1999), Solar Energetic Particle Events in the Rising Phase of Solar Cycle 23: Observations at 1 and 5 AU, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 540–+.
- [70] Leamon, R. (1999), The Dynamics of Dissipation Range Fluctuations with Application to Cosmic Ray Propagation Theory, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 366–+.
- [71] Leamon, R. J., C. W. Smith, N. F. Ness, and H. K. Wong (1999), Dissipation range dynamics: Kinetic Alfvén waves and the importance of β_e , *J. Geophys. Res.*, **1042**, 22,331–22,344, [10.1029/1999JA900158](https://doi.org/10.1029/1999JA900158).
- [72] Leamon, R. J., N. F. Ness, C. W. Smith, and H. K. Wong (1999), Dynamics of the dissipation range for solar wind magnetic fluctuations, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 469–472, [10.1063/1.58675](https://doi.org/10.1063/1.58675).
- [73] Leamon, R. J., W. H. Matthaeus, C. W. Smith, and H. K. Wong (1999), Considerations limiting cyclotron-resonant damping of cascading interplanetary turbulence and why the ‘slab’ approximation fails, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 465–468, [10.1063/1.58674](https://doi.org/10.1063/1.58674).
- [74] Leblanc, Y., G. A. Dulk, M. L. Kaiser, and J.-L. Bougeret (1999), Type U burst and CME in the solar wind, *Geophys. Res. Lett.*, **26**, 1089–1092, [10.1029/1999GL900194](https://doi.org/10.1029/1999GL900194).
- [75] Leblanc, Y., G. A. Dulk, and J.-L. Bougeret (1999), Electron density model from the corona to 1 AU and application to the type II burst of 7 April 1997, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 83–86, [10.1063/1.58787](https://doi.org/10.1063/1.58787).
- [76] Lepidi, S., P. Francia, U. Villante, A. Meloni, A. J. Lazarus, and R. P. Lepping (1999), The Earth’s passage of the April 11, 1997 coronal ejecta: geomagnetic field fluctuations at high and low latitude during northward interplanetary magnetic field conditions, *Ann. Geophys.*, **17**, 1245–1250, [10.1007/s00585-999-1245-4](https://doi.org/10.1007/s00585-999-1245-4).
- [77] Li, X., D. N. Baker, M. Teremin, T. E. Cayton, G. D. Reeves, R. S. Selesnick, J. B. Blake, G. Lu, S. G. Kanekal, and H. J. Singer (1999), Rapid enhancements of relativistic electrons deep in the magnetosphere during the May 15, 1997, magnetic storm, *J. Geophys. Res.*, **104**, 4467–4476, [10.1029/1998JA900092](https://doi.org/10.1029/1998JA900092).
- [78] Linker, J. A., Z. Mikić, D. A. Biesecker, R. J. Forsyth, S. E. Gibson, A. J. Lazarus, A. Lecinski, P. Riley, A. Szabo, and B. J. Thompson (1999), Magnetohydrodynamic modeling of the solar corona during Whole Sun Month, *J. Geophys. Res.*, **104**, 9809–9830, [10.1029/1998JA900159](https://doi.org/10.1029/1998JA900159).
- [79] Livesey, R. J. (1999), The aurora 1997, *J. British Astron. Assoc.*, **109**, 86–90.

List of Refereed Publications
Wind Spacecraft: 1999

- [80] Lockwood, M., and S. W. H. Cowley (1999), Comment on “A statistical study of the ionospheric convection response to changing interplanetary magnetic field conditions using the assimilative mapping of ionospheric electrodynamics technique” by A. J. Ridley et al., *J. Geophys. Res.*, **104**, 4387–4392, [10.1029/1998JA900145](https://doi.org/10.1029/1998JA900145).
- [81] Lockwood, M., and J. Moen (1999), Reconfiguration and closure of lobe flux by reconnection during northward IMF: possible evidence for signatures in cusp/cleft auroral emissions, *Ann. Geophys.*, **17**, 996–1011, [10.1007/s00585-999-0996-2](https://doi.org/10.1007/s00585-999-0996-2).
- [82] Maksimovic, M., V. Pierrard, J. Lemaire, and D. Larson (1999), Electron velocity distribution functions from the solar wind to the corona, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 267–268, [10.1063/1.58759](https://doi.org/10.1063/1.58759).
- [83] Mangeney, A., C. Salem, C. Lacombe, J.-L. Bougeret, C. Perche, R. Manning, P. J. Kellogg, K. Goetz, S. J. Monson, and J.-M. Bosqued (1999), WIND observations of coherent electrostatic waves in the solar wind, *Ann. Geophys.*, **17**, 307–320, [10.1007/s00585-999-0307-y](https://doi.org/10.1007/s00585-999-0307-y).
- [84] Mann, G., F. Jansen, R. J. MacDowall, M. L. Kaiser, and R. G. Stone (1999), A heliospheric density model and type III radio bursts, *Astron. & Astrophys.*, **348**, 614–620.
- [85] Mason, G. M., and T. R. Sanderson (1999), CIR Associated Energetic Particles in the Inner and Middle Heliosphere, *Space Sci. Rev.*, **89**, 77–90, [10.1023/A:1005216516443](https://doi.org/10.1023/A:1005216516443).
- [86] Mason, G. M., C. M. S. Cohen, A. C. Cummings, J. R. Dwyer, R. E. Gold, S. M. Krimigis, R. A. Leske, J. E. Mazur, R. A. Mewaldt, E. Möbius, M. Popecki, E. C. Stone, T. T. von Rosenvinge, and M. E. Wiedenbeck (1999), Particle acceleration and sources in the November 1997 solar energetic particle events, *Geophys. Res. Lett.*, **26**, 141–144, [10.1029/1998GL900235](https://doi.org/10.1029/1998GL900235).
- [87] Mason, G. M., R. von Steiger, R. B. Decker, M. I. Desai, J. R. Dwyer, L. A. Fisk, G. Gloeckler, J. T. Gosling, M. Hilchenbach, R. Kallenbach, E. Keppler, B. Klecker, H. Kunow, G. Mann, I. G. Richardson, T. R. Sanderson, G. M. Simnett, Y.-M. Wang, R. F. Wimmer-Schweingruber, M. Fränz, and J. E. Mazur (1999), Origin, Injection, and Acceleration of CIR Particles: Observations Report of Working Group 6, *Space Sci. Rev.*, **89**, 327–367, [10.1023/A:1005278214143](https://doi.org/10.1023/A:1005278214143).
- [88] Mazets, E. P., T. L. Cline, R. L. Aptekar’, P. S. Butterworth, D. D. Frederiks, S. V. Golenetskii, V. N. Il’Inskii, and V. D. Pal’Shin (1999), Activity of the soft gamma repeater SGR 1900 + 14 in 1998 from Konus-Wind observations: 1. Short recurrent bursts, *Astron. Lett.*, **25**, 628–634.
- [89] Mazets, E. P., R. L. Aptekar, P. S. Butterworth, T. L. Cline, D. D. Frederiks, S. V. Golenetskii, K. Hurley, and V. N. Il’Inskii (1999), Unusual Burst Emission from the New Soft Gamma Repeater SGR 1627-41, *Astrophys. J.*, **519**, L151–L153, [10.1086/312118](https://doi.org/10.1086/312118).

List of Refereed Publications
Wind Spacecraft: 1999

- [90] Mazets, E. P., T. L. Cline, R. L. Aptekar', P. S. Butterworth, D. D. Frederiks, S. V. Golenetskii, V. N. Il'Inskii, and V. D. Pal'Shin (1999), Activity of the soft gamma repeater SGR 1900 + 14 in 1998 from Konus-Wind observations: 2. The giant August 27 outburst, *Astron. Lett.*, **25**, 635–648.
- [91] Mazur, J. (1999), Low energy anomalous cosmic rays trapped in the Earth's magnetosphere: 6 years of SAMPEX observations, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 7, pp. 527–+.
- [92] McKenna-Lawlor, S. M. P. (1999), Simultaneous low energy particle enhancements detected upstream of the Earth's Bow Shock on SOHO and Interball, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 155–+.
- [93] McKenna-Lawlor, S. M. P. (1999), Solar Energetic Particle Events recorded aboard SOHO on December 24, 1996 and on May 6, 1998, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 423–+.
- [94] Meziane, K., R. P. Lin, G. K. Parks, D. E. Larson, S. D. Bale, G. M. Mason, J. R. Dwyer, and R. P. Lepping (1999), Evidence for acceleration of ions to ~ 1 MeV by adiabatic-like reflection at the quasi-perpendicular Earth's bow shock, *Geophys. Res. Lett.*, **26**, 2925–2928, [10.1029/1999GL900603](https://doi.org/10.1029/1999GL900603).
- [95] Mikić, Z., J. A. Linker, D. D. Schnack, R. Lionello, and A. Tarditi (1999), Magnetohydrodynamic modeling of the global solar corona, *Phys. Plasmas*, **6**, 2217–2224, [10.1063/1.873474](https://doi.org/10.1063/1.873474).
- [96] Milan, S. E., M. Lester, S. W. H. Cowley, J. Moen, P. E. Sandholt, and C. J. Owen (1999), Meridian-scanning photometer, coherent HF radar, and magnetometer observations of the cusp: a case study, *Ann. Geophys.*, **17**, 159–172, [10.1007/s00585-999-0159-5](https://doi.org/10.1007/s00585-999-0159-5).
- [97] Milan, S. E., T. K. Yeoman, M. Lester, J. Moen, and P. E. Sandholt (1999), Post-noon two-minute period pulsating aurora and their relationship to the dayside convection pattern, *Ann. Geophys.*, **17**, 877–891, [10.1007/s00585-999-0877-8](https://doi.org/10.1007/s00585-999-0877-8).
- [98] Möbius, E., Y. Litvinenko, H. Grünwaldt, M. R. Aellig, A. Bogdanov, F. M. Ipavich, P. Bochsler, M. Hilchenbach, D. Judge, B. Klecker, M. A. Lee, and H. Ogawa (1999), Direct evidence of the interstellar gas flow velocity in the pickup ion cut-off as observed with SOHO CELIAS CTOF, *Geophys. Res. Lett.*, **26**, 3181–3184, [10.1029/1999GL003644](https://doi.org/10.1029/1999GL003644).
- [99] Moore, T. E., W. K. Peterson, C. T. Russell, M. O. Chandler, M. R. Collier, H. L. Collin, P. D. Craven, R. Fitzenreiter, B. L. Giles, and C. J. Pollock (1999), Ionospheric mass ejection in response to a CME, *Geophys. Res. Lett.*, **26**, 2339–2342, [10.1029/1999GL900456](https://doi.org/10.1029/1999GL900456).
- [100] Mühlbachler, S. (1999), Studies on the position and motion of the Earth's bow shock in its dependence on interplanetary parameters, diploma Thesis Advisors: C.J. Farrugia and H.K. Biernat.

List of Refereed Publications
Wind Spacecraft: 1999

- [101] Mulligan, T., C. T. Russell, B. J. Anderson, D. A. Lohr, D. Rust, B. A. Toth, L. J. Zanetti, M. H. Acuna, R. P. Lepping, and J. T. Gosling (1999), Intercomparison of NEAR and Wind interplanetary coronal mass ejection observations, *J. Geophys. Res.*, **1042**, 28,217–28,224, [10.1029/1999JA900215](https://doi.org/10.1029/1999JA900215).
- [102] Mulligan, T., C. T. Russell, B. J. Anderson, D. A. Lohr, B. A. Toth, L. J. Zanetti, M. H. Acuna, R. P. Lepping, J. T. Gosling, and J. G. Luhmann (1999), Flux rope modeling of an interplanetary coronal mass ejection observed at WIND and NEAR, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 689–692, [10.1063/1.58822](https://doi.org/10.1063/1.58822).
- [103] Neudegg, D. A., T. K. Yeoman, S. W. H. Cowley, G. Provan, G. Haerendel, W. Baumjohann, U. Auster, K.-H. Fornacon, E. Georgescu, and C. J. Owen (1999), A flux transfer event observed at the magnetopause by the Equator-S spacecraft and in the ionosphere by the CUTLASS HF radar, *Ann. Geophys.*, **17**, 707–711, [10.1007/s00585-999-0707-z](https://doi.org/10.1007/s00585-999-0707-z).
- [104] Ng, C. K., D. V. Reames, and A. J. Tylka (1999), Effect of proton-amplified waves on the evolution of solar energetic particle composition in gradual events, *Geophys. Res. Lett.*, **26**, 2145–2148, [10.1029/1999GL900459](https://doi.org/10.1029/1999GL900459).
- [105] Ogilvie, K. W., L. F. Burlaga, D. J. Chornay, and R. J. Fitzenreiter (1999), Sources of the solar wind electron strahl in 1995, *J. Geophys. Res.*, **1042**, 22,389–22,394, [10.1029/1999JA900294](https://doi.org/10.1029/1999JA900294).
- [106] Okeke, F. N. (1999), The Magnetospheric Substorm of 29 April 1997, *Irish Astron. J.*, **26**, 23–+.
- [107] Østgaard, N., J. Stadsnes, J. Bjordal, R. R. Vondrak, S. A. Cummer, D. L. Chenette, G. K. Parks, M. J. Brittnacher, and D. L. McKenzie (1999), Global-scale electron precipitation features seen in UV and X rays during substorms, *J. Geophys. Res.*, **1041**, 10,191–10,204, [10.1029/1999JA900004](https://doi.org/10.1029/1999JA900004).
- [108] Parkinson, M. L., P. R. Smith, P. L. Dyson, and R. J. Morris (1999), Nowcasting convection velocity in the high-latitude ionosphere using statistical models, *J. Atmos. Solar-Terr. Phys.*, **61**, 841–855, [10.1016/S1364-6826\(99\)00043-7](https://doi.org/10.1016/S1364-6826(99)00043-7).
- [109] Pierrard, V., M. Maksimovic, and J. Lemaire (1999), Electron velocity distribution functions from the solar wind to the corona, *J. Geophys. Res.*, **1041**, 17,021–17,032, [10.1029/1999JA900169](https://doi.org/10.1029/1999JA900169).
- [110] Posner, A. (1999), Spuren quasi-stationärer heliosphärischer Struktur des solaren Minimums: SOHO/COSTEP- und Ulysses/COSPIN-Messungen CIR-assoziiierter energiereicher Protonen, Ph.D. thesis, University of Kiel, Germany, advisor: May-Britt Kallenrode.
- [111] Posner, A., V. Bothmer, B. J. Thompson, H. Kunow, B. Heber, R. Müller-Mellin, A. J. Lazarus, A. Szabo, Z. Mikić, and J. A. Linker (1999), In-ecliptic CIR-associated energetic particle events and polar coronal hole structures: SOHO/COSTEP observations for the Whole Sun Month Campaign, *J. Geophys. Res.*, **104**, 9881–9890, [10.1029/98JA02654](https://doi.org/10.1029/98JA02654).

List of Refereed Publications
Wind Spacecraft: 1999

- [112] Prikryl, P., J. W. MacDougall, I. F. Grant, D. P. Steele, G. J. Sofko, and R. A. Greenwald (1999), Polar patches generated by solar wind alfvén wave coupling to the dayside magnetosphere, *Adv. Space Res.*, **23**, 1777–1780, [10.1016/S0273-1177\(99\)00390-7](https://doi.org/10.1016/S0273-1177(99)00390-7).
- [113] Provan, G., T. K. Yeoman, and S. W. H. Cowley (1999), The influence of the IMF B_y component on the location of pulsed flows in the dayside ionosphere observed by an HF radar, *Geophys. Res. Lett.*, **26**, 521–524, [10.1029/1999GL900009](https://doi.org/10.1029/1999GL900009).
- [114] Pulkkinen, T., and M. Wiltberger (1999), Global magnetospheric response to IMF driving: ISTP observations, empirical modeling, and MHD simulations, *Phys. Chem. Earth C*, **24**, 153–162, [10.1016/S1464-1917\(98\)00023-3](https://doi.org/10.1016/S1464-1917(98)00023-3).
- [115] Quinn, J. M., G. Paschmann, N. Sckopke, V. K. Jordanova, H. Vaith, O. H. Bauer, W. Baumjohann, W. Fillius, G. Haerendel, S. S. Kerr, C. A. Kletzing, K. Lynch, C. E. McIlwain, R. B. Torbert, and E. C. Whipple (1999), EDI convection measurements at 5–6 R_E in the post-midnight region, *Ann. Geophys.*, **17**, 1503–1512, [10.1007/s00585-999-1503-5](https://doi.org/10.1007/s00585-999-1503-5).
- [116] Reames, D. V. (1999), Particle acceleration at the Sun and in the heliosphere, *Space Sci. Rev.*, **90**, 413–491, [10.1023/A:1005105831781](https://doi.org/10.1023/A:1005105831781).
- [117] Reames, D. V. (1999), Quiet-Time Spectra and Abundances of Energetic Particles During the 1996 Solar Minimum, *Astrophys. J.*, **518**, 473–479, [10.1086/307255](https://doi.org/10.1086/307255).
- [118] Reiner, M. J., and M. L. Kaiser (1999), High-frequency type II radio emissions associated with shocks driven by coronal mass ejections, *J. Geophys. Res.*, **1041**, 16,979–16,992, [10.1029/1999JA900143](https://doi.org/10.1029/1999JA900143).
- [119] Richardson, I. (1999), The Predominance of Field-Aligned MeV Particle Flows in the Inner Heliosphere- a Survey of Anisotropy Data Covering More Than Two Solar Cycles, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 496–+.
- [120] Rodriguez, P., E. J. Kennedy, M. J. Keskinen, S. Basu, M. McCarrick, J. Preston, H. Zwi, M. Engebretson, A. Wong, R. Wuerker, M. L. Kaiser, M. D. Desch, K. Goetz, J.-L. Bougeret, and R. Manning (1999), A wave interference experiment with HAARP, HIPAS, and WIND, *Geophys. Res. Lett.*, **26**, 2351–2354, [10.1029/1999GL900525](https://doi.org/10.1029/1999GL900525).
- [121] Roeder, J., J. Fennell, M. Grande, S. Livi, and R. Sheldon (1999), Ring current response to interplanetary magnetic cloud events, *Phys. Chem. Earth C*, **24**, 83–87, [10.1016/S1464-1917\(98\)00012-9](https://doi.org/10.1016/S1464-1917(98)00012-9).
- [122] Ruffolo, D. (1999), Precursors to Forbush Decreases and Space Weather Prediction, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 440–+.

List of Refereed Publications
Wind Spacecraft: 1999

- [123] Russell, C. T., X. W. Zhou, P. J. Chi, H. Kawano, T. E. Moore, W. K. Peterson, J. B. Cladis, and H. J. Singer (1999), Sudden compression of the outer magnetosphere associated with an ionospheric mass ejection, *Geophys. Res. Lett.*, **26**, 2343–2346, [10.1029/1999GL900455](https://doi.org/10.1029/1999GL900455).
- [124] Ryde, F. (1999), Spectral Aspects of the Evolution of Gamma-Ray Bursts, in *Gamma-Ray Bursts: The First Three Minutes*, *Astronomical Society of the Pacific Conference Series*, vol. 190, edited by J. Poutanen & R. Svensson, pp. 103–+.
- [125] Sahla, T. (1999), SOHO/ERNE measurement of directional proton intensities during the coronal mass ejections in April and May 1997, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 332–+.
- [126] Salem, C., A. Mangeney, and J.-L. Bougeret (1999), Coherent Electrostatic Nonlinear Waves in Collisionless Space Plasmas, in *Nonlinear MHD Waves and Turbulence, Lecture Notes in Physics*, Berlin Springer Verlag, vol. 536, edited by T. Passot & P.-L. Sulem, pp. 251–+.
- [127] Sandahl, I., S. Barabash, H. Borg, E. Y. Budnik, E. M. Dubinin, U. Eklund, H. Koskinen, K. Lundin, R. Lundin, A. Mälkki, R. Pellinen, N. F. Pissarenko, T. Pulkkinen, and A. V. Zakharov (1999), First results from the hot plasma instrument PROMICS-3 on Interball-2, *Ann. Geophys.*, **17**, 659–673, [10.1007/s00585-999-0659-3](https://doi.org/10.1007/s00585-999-0659-3).
- [128] Sandholt, P. E., C. J. Farrugia, and B. Lybekk (1999), The dynamic cusp aurora on 30 November 1997: response to southward turning of the IMF, *Ann. Geophys.*, **17**, 1155–1165, [10.1007/s00585-999-1155-5](https://doi.org/10.1007/s00585-999-1155-5).
- [129] Sandholt, P. E., C. J. Farrugia, S. W. H. Cowley, W. F. Denig, M. Lester, J. Moen, and B. Lybekk (1999), Capture of magnetosheath plasma by the magnetosphere during northward IMF, *Geophys. Res. Lett.*, **26**, 2833–2836, [10.1029/1999GL900600](https://doi.org/10.1029/1999GL900600).
- [130] Sandholt, P. E., C. J. Farrugia, S. W. H. Cowley, M. Lester, J. Moen, B. Lybekk, and E. Trondsen (1999), Excitation and decay of magnetospheric lobe cell convection and its associated aurora, *Geophys. Res. Lett.*, **26**, 3597–3600, [10.1029/1999GL003621](https://doi.org/10.1029/1999GL003621).
- [131] Sarafopoulos, D. V., M. A. Athanasiu, E. T. Sarris, T. Yamamoto, and S. Kokubun (1999), Properties and origin of energetic particles at the duskside of the Earth’s magnetosheath throughout a great storm, *Ann. Geophys.*, **17**, 1121–1133, [10.1007/s00585-999-1121-2](https://doi.org/10.1007/s00585-999-1121-2).
- [132] Schlegel, K., and P. N. Collis (1999), The storm of 10 January 1997: electrodynamics of the high latitude e region from eiscat data, *J. Atmos. Solar-Terr. Phys.*, **61**, 217–222, [10.1016/S1364-6826\(98\)00127-8](https://doi.org/10.1016/S1364-6826(98)00127-8).
- [133] Schlesier, A. C., and M. J. Buonsanto (1999), Observations and modeling of the April 10–12, 1997 Ionospheric Storm at Millstone Hill, *Geophys. Res. Lett.*, **26**, 2359–2362, [10.1029/1999GL900486](https://doi.org/10.1029/1999GL900486).

List of Refereed Publications
Wind Spacecraft: 1999

- [134] Seon, J., S. M. Park, K. W. Min, L. A. Frank, W. R. Paterson, and K. W. Ogilvie (1999), Observations of density fluctuations in Earth's magnetosheath with geotail and wind spacecraft, *Geophys. Res. Lett.*, **26**, 959–962, [10.1029/1999GL900131](https://doi.org/10.1029/1999GL900131).
- [135] Shaposhnikov, V. E., M. Y. Boudjada, H. O. Rucker, V. V. Zaitsev, and M. Aubier (1999), On features of Faraday rotation of the decametric radio emission in the Jovian magnetosphere, *Astron. & Astrophys.*, **344**, 709–718.
- [136] Shepherd, S. G., R. A. Greenwald, and J. M. Ruohoniemi (1999), A possible explanation for rapid, large-scale ionospheric responses to southward turnings of the IMF, *Geophys. Res. Lett.*, **26**, 3197–3200, [10.1029/1999GL010670](https://doi.org/10.1029/1999GL010670).
- [137] Sibeck, D. G., N. L. Borodkova, S. J. Schwartz, C. J. Owen, R. Kessel, S. Kokubun, R. P. Lepping, R. Lin, K. Liou, H. Lühr, R. W. McEntire, C.-I. Meng, T. Mukai, Z. Nemecek, G. Parks, T. D. Phan, S. A. Romanov, J. Safrankova, J.-A. Sauvaud, H. J. Singer, S. I. Solov'yev, A. Szabo, K. Takahashi, D. J. Williams, K. Yumoto, and G. N. Zastenker (1999), Comprehensive study of the magnetospheric response to a hot flow anomaly, *J. Geophys. Res.*, **104**, 4577–4594, [10.1029/1998JA900021](https://doi.org/10.1029/1998JA900021).
- [138] Skoug, R. M., S. J. Bame, W. C. Feldman, J. T. Gosling, D. J. McComas, J. T. Steinberg, R. L. Tokar, P. Riley, L. F. Burlaga, N. F. Ness, and C. W. Smith (1999), A prolonged He⁺ enhancement within a coronal mass ejection in the solar wind, *Geophys. Res. Lett.*, **26**, 161–164, [10.1029/1998GL900207](https://doi.org/10.1029/1998GL900207).
- [139] Slinker, S. P., J. A. Fedder, B. A. Emery, K. B. Baker, D. Lummerzheim, J. G. Lyon, and F. J. Rich (1999), Comparison of global MHD simulations with AMIE simulations for the events of May 19-20, 1996, *J. Geophys. Res.*, **104**, 28,379–28,396, [10.1029/1999JA900403](https://doi.org/10.1029/1999JA900403).
- [140] Smith, C. (1999), Magnetic Fluctuation Properties of Interplanetary Magnetic Clouds, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 452–+.
- [141] Smith, D. A., A. M. Levine, H. V. Bradt, R. Remillard, J. G. Jernigan, K. C. Hurley, L. Wen, M. Briggs, T. Cline, E. Mazets, S. Golenetskii, and D. Frederics (1999), Localizations of 13 Gamma-Ray Bursts by the All-Sky Monitor on the Rossi X-Ray Timing Explorer, *Astrophys. J.*, **526**, 683–696, [10.1086/308029](https://doi.org/10.1086/308029).
- [142] Smith, D. M., R. P. Lin, J. McTiernan, and A. S. Slassi-Sennou (1999), Astrophysics with HESSI, *Astrophys. Lett. Commun.*, **39**, 457.
- [143] Smith, Z., and R. Zwickl (1999), Forecasting geomagnetic storms using energetic particle enhancements, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 577–580, [10.1063/1.58698](https://doi.org/10.1063/1.58698).
- [144] Sridharan, R., A. Taori, D. Chakrabarty, H. Chandra, S. Sharma, R. Narayanan, and N. K. Modi (1999), Effects of 6 January 1997 space weather related processes in the low

List of Refereed Publications
Wind Spacecraft: 1999

- latitude thermosphere-ionosphere system, *J. Atmos. Solar-Terr. Phys.*, **61**, 1001–1005, [10.1016/S1364-6826\(99\)00063-2](https://doi.org/10.1016/S1364-6826(99)00063-2).
- [145] Teegarden, B. J. (1999), Space instrumentation for gamma-ray astronomy, *Nucl. Inst. & Meth. in Phys. Res. A*, **422**, 551–561, [10.1016/S0168-9002\(98\)01268-6](https://doi.org/10.1016/S0168-9002(98)01268-6).
- [146] Torkar, K., W. Riedler, M. Fehringer, F. Rüdener, C. P. Escoubet, H. Arends, B. T. Narheim, K. Svenes, M. P. McCarthy, G. K. Parks, R. P. Lin, and H. Rème (1999), Spacecraft potential control aboard Equator-S as a test for Cluster-II, *Ann. Geophys.*, **17**, 1582–1591, [10.1007/s00585-999-1582-3](https://doi.org/10.1007/s00585-999-1582-3).
- [147] Torsti, J. (1999), SOHO/ERNE Measurements of Energetic He, O and Fe Fluxes during the November 6, 1997 Solar Event, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 119–+.
- [148] Tylka, A. J. (1999), Wind/EPACT Observations of Temporal Evolution in Elemental Composition during Large Solar Energetic Particle Events, in *International Cosmic Ray Conference, International Cosmic Ray Conference*, vol. 6, pp. 135–+.
- [149] Tylka, A. J., D. V. Reames, and C. K. Ng (1999), Observations of systematic temporal evolution in elemental composition during gradual solar energetic particle events, *Geophys. Res. Lett.*, **26**, 2141–2144, [10.1029/1999GL900458](https://doi.org/10.1029/1999GL900458).
- [150] Valdivia, J. A., D. Vassiliadis, A. Klimas, and A. S. Sharma (1999), Modeling the spatial structure of the high latitude magnetic perturbations and the related current systems, *Phys. Plasmas*, **6**, 4185–4194, [10.1063/1.873684](https://doi.org/10.1063/1.873684).
- [151] Valladares, C. E., D. Alcaydé, J. V. Rodriguez, J. M. Ruohoniemi, and A. P. van Eyken (1999), Observations of plasma density structures in association with the passage of traveling convection vortices and the occurrence of large plasma jets, *Ann. Geophys.*, **17**, 1020–1039, [10.1007/s00585-999-1020-6](https://doi.org/10.1007/s00585-999-1020-6).
- [152] Vassiliadis, D., A. Klimas, and D. Baker (1999), Models of Dst geomagnetic activity and of its coupling to solar wind parameters, *Phys. Chem. Earth C*, **24**, 107–112, [10.1016/S1464-1917\(98\)00016-6](https://doi.org/10.1016/S1464-1917(98)00016-6).
- [153] Vedrenne, G., P. Jean, B. Kandel, F. Albernhe, V. Borrel, P. Mandrou, J. P. Roques, P. von Ballmoos, P. Durouchoux, B. Cordier, N. Diallo, V. Schönfelder, G. G. Lichti, R. Dihel, M. Varendorff, A. W. Strong, R. Georgii, B. J. Teegarden, J. Naya, H. Seifert, S. Sturmer, J. Matteson, R. Lin, S. Slassi, F. Sanches, P. Caraveo, P. Leleux, G. K. Skinner, and P. Connell (1999), The SPI spectrometer for the INTEGRAL mission, *Mem. Soc. Astron. Ital.*, **70**, 1289–+.
- [154] Verkhoglyadova, O., A. Agapitov, A. Andrushchenko, V. Ivchenko, S. Romanov, and Y. Yermolaev (1999), Compressional wave events in the dawn plasma sheet observed by Interball-1, *Ann. Geophys.*, **17**, 1145–1154, [10.1007/s00585-999-1145-7](https://doi.org/10.1007/s00585-999-1145-7).

List of Refereed Publications
Wind Spacecraft: 1999

- [155] Vogl, D. F. (1999), Magnetosheath flow models with anisotropic proton temperatures: Theory and Data comparisons, Ph.D. thesis, Karl Franzens Universität, Graz, Austria, advisor: H.K. Biernat, C.J. Farrugia, and N.V. Erkaev.
- [156] Voronkov, I., E. Friedrich, and J. C. Samson (1999), Dynamics of the substorm growth phase as observed using CANOPUS and SuperDARN instruments, *J. Geophys. Res.*, **1042**, 28,491–28,504, [10.1029/1999JA900362](https://doi.org/10.1029/1999JA900362).
- [157] Vourlidas, A., D. Maia, M. Pick, and R. A. Howard (1999), LASCO/Nancay Observations of the CME on 20 April 1998: White Light Sources of Type-II Radio Emission, in *Magnetic Fields and Solar Processes, ESA Special Publication*, vol. 448, edited by A. Wilson & et al., pp. 1003–+.
- [158] Walker, I. K., J. Moen, L. Kersley, and D. A. Lorentzen (1999), On the possible role of cusp/cleft precipitation in the formation of polar-cap patches, *Ann. Geophys.*, **17**, 1298–1305, [10.1007/s00585-999-1298-4](https://doi.org/10.1007/s00585-999-1298-4).
- [159] Walker, R., T. Terasawa, S. P. Christon, V. Angelopoulos, M. Hoshino, W. Lennartsson, K. Maezawa, D. G. Sibeck, R. A. Treumann, D. J. Williams, and L. Zelenyi (1999), Chapter 6-Source and Loss Processes in the Magnetotail, *Space Sci. Rev.*, **88**, 285–353, [10.1023/A:1005207918263](https://doi.org/10.1023/A:1005207918263).
- [160] Wan, W., M. L. Parkinson, P. L. Dyson, A. M. Breed, and R. J. Morris (1999), A statistical study of the interplanetary magnetic field control of sporadic E-layer occurrence in the southern polar cap ionosphere, *J. Atmos. Solar-Terr. Phys.*, **61**, 1357–1366, [10.1016/S1364-6826\(99\)00092-9](https://doi.org/10.1016/S1364-6826(99)00092-9).
- [161] Wimmer-Schweingruber, R. F., P. Bochsler, and P. Wurz (1999), Isotopes in the solar wind: New results from ACE, SOHO, and WIND, in *American Institute of Physics Conference Series, American Institute of Physics Conference Series*, vol. 471, edited by S. R. Habbal, R. Esser, J. V. Hollweg, & P. A. Isenberg, pp. 147–152, [10.1063/1.58743](https://doi.org/10.1063/1.58743).
- [162] Wu, S. T., and W. P. Guo (1999), Generation and propagation of solar disturbances: a magnetohydrodynamic simulation, *J. Atmos. Solar-Terr. Phys.*, **61**, 109–117, [10.1016/S1364-6826\(98\)00121-7](https://doi.org/10.1016/S1364-6826(98)00121-7).
- [163] Wu, S. T., W. P. Guo, D. J. Michels, and L. F. Burlaga (1999), MHD description of the dynamical relationships between a flux rope, streamer, coronal mass ejection, and magnetic cloud: An analysis of the January 1997 Sun-Earth connection event, *J. Geophys. Res.*, **1041**, 14,789–14,802, [10.1029/1999JA900099](https://doi.org/10.1029/1999JA900099).